
TRANSFORMER WRAPPING SYSTEMS

**5 YEAR
WARRANTY**

*Featuring the 7 best semi -
automatic machines for your
stretch wrapping needs.*



TSA SERIES



Table of Contents

Transformer Packaging Systems Semi - Automatic Wrapping Solutions

| | |
|------------------------|----|
| Introduction | 01 |
| • T-DS | 02 |
| • T-SA | 04 |
| • T-SA w/ Scale | 06 |
| • T-SA Bigfoot | 08 |
| • T-SA Tall Boy | 10 |
| • T-FA Fully Automatic | 12 |
| • T-SA Behemoth | 14 |
| Our Network | 16 |
| Our Why | 17 |



Our Mission

"At Transformer Packaging Systems, we don't just create packaging machinery; we engineer solutions that redefine industry standards. Our commitment to excellence drives us to manufacture the highest quality packaging machinery that not only meets your expectations but surpasses them. We believe that quality shouldn't be an optional upgrade – it should be the cornerstone of every product we offer."

**THANK YOU AND WE
LOOK FORWARD TO
SERVING YOU.**



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-DS



INCLUDED FEATURES



PREMIUM TOUCH SCREEN
CONTROLS/DIAGNOSTICS



SEMI
AUTOMATIC



18-20" CARRIAGE
MANUAL PRE STRETCH



3500 LB CAPACITY



15 RPM



24 HOUR SERVICE
HOTLINE

OPTIONAL FEATURES



PALLET JACK RAMP

APPLICATIONS: Wrapping

The Transformer Dock Star features the ability to run pre-stretched hand film or machine-grade film making it the most versatile entry level wrapper on the market.

Included Features

- Color touch-screen control panel
- Premium photo eye
- Corner compensation
- Manual pre-stretch carriage
- Automatic puncture cut device
- Plug and play connections
- Heavy-duty reinforced steel construction
- Heavy-duty dual chain drive
- Dual-chain carriage
- Forklift portable
- Tower E-Stop
- Carriage safety bottom contact E-Stop
- 5 year warranty



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-DS

SPECIFICATION SHEET

Performance

| | |
|----------------------------|-------------------|
| Maximum Production Speed: | Up to 35 loads/hr |
| Turntable Speed: | 15 RPM |
| Turntable Drive: | 1.06 HP |
| Turntable Slow Start/Stop: | Included |
| Dual Chain Drive: | Included |

Deluxe Controls

| | |
|---------------------------------------|----------|
| Color Touch Screen Control Panel: | Included |
| Digital Diagnostics/Trouble Shooting: | Included |
| 10 Custom Wrap Preset Options: | Included |
| Custom Top/Middle/Bottom Wrap: | Included |
| Manual/Automatic Modes: | Included |
| PLC Output Screen: | Included |
| Parameter Password Lockout: | Included |

Load Handling

| | |
|--|------------|
| Maximum Wrap Height: | 79" |
| Turn Table Diameter: | 59" |
| Premium Turntable Nylon Cam Followers: | 18 |
| Recommended Max Wrap Diagonal: | 75" |
| Load Weight Capacity: | 3,500 lbs. |

Film Carriage


| | |
|----------------------------------|--------------------|
| Film Delivery System: | Manual Pre stretch |
| Standard Pre-Stretch: | 200% |
| TPS Thread System: | Included |
| Force to Load: | Variable |
| Film Diameter: | Maximum 10.63" |
| Roll Length: | 18-20" Standard |
| Photo Eye: | Multi Color Film |
| Corner Compensator: | Included |
| Puncture Cut-off: | Included |
| Top Mount E-Stop Plunger: | Included |
| Bottom E-Stop Pressure Plate: | Included |
| Film Carriage Door Latch E-Stop: | Included |

Options

| | |
|-------|---------------------------|
| Ramp: | L: 58" x W: 50" x H: 3.5" |
|-------|---------------------------|

Machine Specifications

| | |
|---------------|---|
| Dimensions: | L 98.42" x W 59.05" x H 89.76" |
| Weight: | 1427 lbs. |
| Construction: | Reinforced Solid Steel |
| Coating: | Powder Coat |
| Power Supply: | 110 Volt 10 Amp |
| Warranty: | 5 Year Structure - Lifetime Rollers |
| Service: | 24/7 Hotline Support@TransformerPackagingSystems.com |



Transformer Packaging Systems L.L.C
7259 Rankin Rd Suite 200, Humble, TX 77396



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA



INCLUDED FEATURES



PREMIUM TOUCH SCREEN
CONTROLS/DIAGNOSTICS



SEMI
AUTOMATIC



20" CARRIAGE
POWERED PRE STRETCH



5000 LB CAPACITY



15 RPM



24 HOUR SERVICE
HOTLINE

OPTIONAL FEATURES



PALLET JACK RAMP



REMOTE
AUTOMATIC



30" CARRIAGE



10,000 LB CAPACITY
RING GEAR DRIVEN



120"
WRAP HEIGHT



160"
WRAP DIAGONAL

APPLICATIONS: Wrapping

The Transformer T-SA is the industry leading semi-automatic turntable wrapper on the market. The T-SA features the largest turntable diameter and max load capacity in its class. The T-SA is perfectly suited for handling your toughest wrapping applications.

Included Features

- Color touch-screen control panel
- Premium photo eye
- Corner compensation
- No lace powered carriage
- Automatic puncture cut device
- Plug and play connections
- Heavy-duty reinforced steel construction
- Heavy-duty dual chain drive
- Dual-chain carriage
- Forklift portable
- Tower E-Stop
- Carriage door E-Stop
- Carriage safety bottom contact E-Stop
- 5 year warranty



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA

SPECIFICATION SHEET

Performance

| | |
|----------------------------|-------------------|
| Maximum Production Speed: | Up to 40 loads/hr |
| Turntable Speed: | 15 RPM |
| Turntable Drive: | 1.06 HP |
| Turntable Slow Start/Stop: | Included |
| Dual Chain Drive: | Included |

Deluxe Controls

| | |
|---------------------------------------|----------|
| Color Touch Screen Control Panel: | Included |
| Digital Diagnostics/Trouble Shooting: | Included |
| 10 Custom Wrap Preset Options: | Included |
| Custom Top/Middle/Bottom Wrap: | Included |
| Manual/Automatic Modes: | Included |
| PLC Output Screen: | Included |
| Parameter Password Lockout: | Included |

Load Handling

| | |
|--|-----------|
| Maximum Wrap Height: | 83" |
| Turn Table Diameter: | 71" |
| Premium Turntable Nylon Cam Followers: | 18 |
| Recommended Max Wrap Diagonal: | 90" |
| Load Weight Capacity: | 5000 lbs. |

Film Carriage

| | |
|----------------------------------|---------------------------|
| Film Delivery System: | Powered Chain Pre stretch |
| Standard Pre-Stretch: | 250%-300% |
| TPS Threadless System: | Included |
| Force to Load: | Variable |
| Film Diameter: | Maximum 10.63" |
| Roll Length: | 20" |
| Photo Eye: | Multi Color Film |
| Corner Compensator: | Included |
| Puncture Cut-off: | Included |
| Top Mount E-Stop Plunger: | Included |
| Bottom E-Stop Pressure Plate: | Included |
| Film Carriage Door Latch E-Stop: | Included |

Options

| | |
|-------------------------|-----------------------------------|
| Ramp: | L: 58" x W: 50" x H: 3.5" |
| 30" Carriage: | |
| Extended Wrap Height: | 104", 120" |
| Extended Base: | 160" Wrap Diagonal |
| Integrated Scale: | Digital Readout with printer port |
| Remote Fully Automatic: | Cut, Clamp & Wipe |
| Ring Gear High Profile: | 10,000 lb. Capacity |
| Dual Turn Table: | Umbilical Cable |
| Separated Based: | Umbilical Cable |

Machine Specifications

| | |
|---------------|--|
| Dimensions: | L: 110.2" W: 70.87" H: 94.49" |
| Weight: | 1543 lbs. |
| Construction: | Reinforced Solid Steel |
| Coating: | Powder Coat |
| Power Supply: | 110 Volt 10 Amp |
| Warranty: | 5 Year Structure - Lifetime Rollers |
| Service: | 24/7 Hotline Support@TransformerPackagingSystems.com |



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA w/ Scale



INCLUDED FEATURES



PREMIUM TOUCH SCREEN
CONTROLS/DIAGNOSTICS



SEMI
AUTOMATIC



20" CARRIAGE
POWERED PRE STRETCH



5000 LB CAPACITY



15 RPM



24 HOUR SERVICE
HOTLINE

APPLICATIONS: Wrapping

The Transformer T-SA w/ Scale features an integrated scale to weigh your loads on the fly.

OPTIONAL FEATURES



PALLET JACK RAMP



REMOTE
AUTOMATIC



30" CARRIAGE



10,000 LB CAPACITY
RING GEAR DRIVEN



120"
WRAP HEIGHT



160"
WRAP DIAGONAL

Included Features

- Color touch-screen control panel
- Premium photo eye
- Corner compensation
- No lace powered carriage
- Automatic puncture cut device
- Plug and play connections
- Heavy-duty reinforced steel construction
- Heavy-duty dual chain drive
- Dual-chain carriage
- Forklift portable
- Tower E-Stop
- Carriage door E-Stop
- Carriage safety bottom contact E-Stop
- 5 year warranty



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA w/ Scale

SPECIFICATION SHEET

Performance

| | |
|----------------------------|-------------------|
| Maximum Production Speed: | Up to 40 loads/hr |
| Turntable Speed: | 15 RPM |
| Turntable Drive: | 1.06 HP |
| Turntable Slow Start/Stop: | Included |
| Dual Chain Drive: | Included |

Deluxe Controls

| | |
|---------------------------------------|----------|
| Color Touch Screen Control Panel: | Included |
| Digital Diagnostics/Trouble Shooting: | Included |
| 10 Custom Wrap Preset Options: | Included |
| Custom Top/Middle/Bottom Wrap: | Included |
| Manual/Automatic Modes: | Included |
| PLC Output Screen: | Included |
| Parameter Password Lockout: | Included |

Load Handling

| | |
|--|-----------|
| Maximum Wrap Height: | 83" |
| Turn Table Diameter: | 71" |
| Premium Turntable Nylon Cam Followers: | 18 |
| Recommended Max Wrap Diagonal: | 90" |
| Load Weight Capacity: | 5000 lbs. |

Film Carriage


| | |
|----------------------------------|---------------------------|
| Film Delivery System: | Powered Chain Pre stretch |
| Standard Pre-Stretch: | 250%-300% |
| TPS Threadless System: | Included |
| Force to Load: | Variable |
| Film Diameter: | Maximum 10.63" |
| Roll Length: | 20" Standard |
| Photo Eye: | Multi Color Film |
| Corner Compensator: | Included |
| Puncture Cut-off: | Included |
| Top Mount E-Stop Plunger: | Included |
| Bottom E-Stop Pressure Plate: | Included |
| Film Carriage Door Latch E-Stop: | Included |

Options

| | |
|-------------------------|-----------------------------------|
| Ramp: | L: 58" x W: 50" x H: 3.5" |
| 30" Carriage: | |
| Extended Wrap Height: | 104", 120" |
| Extended Base: | 160" Wrap Diagonal |
| Integrated Scale: | Digital Readout with printer port |
| Remote Fully Automatic: | Cut, Clamp & Wipe |
| Ring Gear High Profile: | 10,000 lb. Capacity |
| Dual Turn Table: | Umbilical Cable |
| Separated Based: | Umbilical Cable |

Machine Specifications

| | |
|---|-------------------------------------|
| Dimensions: | L: 110.2" W: 70.87" H: 94.49" |
| Weight: | 1543 lbs. |
| Construction: | Reinforced Solid Steel |
| Coating: | Powder Coat |
| Power Supply: | 110 Volt 10 Amp |
| Warranty: | 5 Year Structure - Lifetime Rollers |
| Service: | 24/7 Hotline |
| Support@TransformerPackagingSystems.com | |



Transformer Packaging Systems L.L.C
7259 Rankin Rd Suite 200, Humble, TX 77396



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA Bigfoot



INCLUDED FEATURES



PREMIUM TOUCH SCREEN
CONTROLS/DIAGNOSTICS



SEMI
AUTOMATIC



20" CARRIAGE
POWERED PRE STRETCH



5000 LB CAPACITY



15 RPM



24 HOUR SERVICE
HOTLINE

APPLICATIONS: Wrapping

The Transformer T-SA Big Foot features the largest turntable diameter and max load capacity in its class. With an extended base, the T-SA can accommodate loads up to a 160" diagonal.

OPTIONAL FEATURES



PALLET JACK RAMP



120"
WRAP HEIGHT



30" CARRIAGE



10,000 LB CAPACITY
RING GEAR DRIVEN

Included Features

- Color touch-screen control panel
- Premium photo eye
- Corner compensation
- No lace powered carriage
- Automatic puncture cut device
- Plug and play connections
- Heavy-duty reinforced steel construction
- Heavy-duty dual chain drive
- Dual-chain carriage
- Forklift portable
- Tower E-Stop
- Carriage door E-Stop
- Carriage safety bottom contact E-Stop
- 5 year warranty



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA Bigfoot

SPECIFICATION SHEET

Performance

| | |
|----------------------------|-------------------|
| Maximum Production Speed: | Up to 40 loads/hr |
| Turntable Speed: | 15 RPM |
| Turntable Drive: | 1.06 HP |
| Turntable Slow Start/Stop: | Included |
| Dual Chain Drive: | Included |

Deluxe Controls

| | |
|---------------------------------------|----------|
| Color Touch Screen Control Panel: | Included |
| Digital Diagnostics/Trouble Shooting: | Included |
| 10 Custom Wrap Preset Options: | Included |
| Custom Top/Middle/Bottom Wrap: | Included |
| Manual/Automatic Modes: | Included |
| PLC Output Screen: | Included |
| Parameter Password Lockout: | Included |

Load Handling

| | |
|--|-----------|
| Maximum Wrap Height: | 83" |
| Turn Table Diameter: | 71" |
| Premium Turntable Nylon Cam Followers: | 18 |
| Recommended Max Wrap Diagonal: | 160" |
| Load Weight Capacity: | 5000 lbs. |

Film Carriage


| | |
|----------------------------------|---------------------------|
| Film Delivery System: | Powered Chain Pre stretch |
| Standard Pre-Stretch: | 250%-300% |
| TPS Threadless System: | Included |
| Force to Load: | Variable |
| Film Diameter: | Maximum 10.63" |
| Roll Length: | 20" Standard |
| Photo Eye: | Multi Color Film |
| Corner Compensator: | Included |
| Puncture Cut-off: | Included |
| Top Mount E-Stop Plunger: | Included |
| Bottom E-Stop Pressure Plate: | Included |
| Film Carriage Door Latch E-Stop: | Included |

Options

| | |
|-------------------------|-----------------------------------|
| Ramp: | L: 58" x W: 50" x H: 3.5" |
| 30" Carriage: | |
| Extended Wrap Height: | 104", 120" |
| Extended Base: | 160" Wrap Diagonal |
| Integrated Scale: | Digital Readout with printer port |
| Remote Fully Automatic: | Cut, Clamp & Wipe |
| Ring Gear High Profile: | 10,000 lb. Capacity |
| Dual Turn Table: | Umbilical Cable |
| Separated Based: | Umbilical Cable |

Machine Specifications

| | |
|---------------|---|
| Dimensions: | L: 148.2" W: 70.87" H: 94.49" |
| Weight: | 1650 lbs. |
| Construction: | Reinforced Solid Steel |
| Coating: | Powder Coat |
| Power Supply: | 110 Volt 10 Amp |
| Warranty: | 5 Year Structure - Lifetime Rollers |
| Service: | 24/7 Hotline Support@TransformerPackagingSystems.com |



Transformer Packaging Systems L.L.C
7259 Rankin Rd Suite 200, Humble, TX 77396



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA Tall Boy



INCLUDED FEATURES



PREMIUM TOUCH SCREEN
CONTROLS/DIAGNOSTICS



SEMI
AUTOMATIC



20" CARRIAGE
POWERED PRE STRETCH



5000 LB CAPACITY



15 RPM



24 HOUR SERVICE
HOTLINE

OPTIONAL FEATURES



PALLET JACK RAMP



REMOTE
AUTOMATIC



30" CARRIAGE



10,000 LB CAPACITY
RING GEAR DRIVEN



160"
WRAP DIAGONAL

APPLICATIONS: Wrapping

The Transformer T-SA Big Foot features the largest turntable diameter and max load capacity in its class. With an extended base, the T-SA can accommodate loads up to a 160" diagonal.

Included Features

- Color touch-screen control panel
- Premium photo eye
- Corner compensation
- No lace powered carriage
- Automatic puncture cut device
- Plug and play connections
- Heavy-duty reinforced steel construction
- Heavy-duty dual chain drive
- Dual-chain carriage
- Forklift portable
- Tower E-Stop
- Carriage door E-Stop
- Carriage safety bottom contact E-Stop
- 5 year warranty



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA Tall Boy

SPECIFICATION SHEET

Performance

| | |
|----------------------------|-------------------|
| Maximum Production Speed: | Up to 40 loads/hr |
| Turntable Speed: | 15 RPM |
| Turntable Drive: | 1.06 HP |
| Turntable Slow Start/Stop: | Included |
| Dual Chain Drive: | Included |

Deluxe Controls

| | |
|---------------------------------------|----------|
| Color Touch Screen Control Panel: | Included |
| Digital Diagnostics/Trouble Shooting: | Included |
| 10 Custom Wrap Preset Options: | Included |
| Custom Top/Middle/Bottom Wrap: | Included |
| Manual/Automatic Modes: | Included |
| PLC Output Screen: | Included |
| Parameter Password Lockout: | Included |

Load Handling

| | |
|--|-----------|
| Maximum Wrap Height: | 120" |
| Turn Table Diameter: | 71" |
| Premium Turntable Nylon Cam Followers: | 18 |
| Recommended Max Wrap Diagonal: | 90" |
| Load Weight Capacity: | 5000 lbs. |

Film Carriage


| | |
|----------------------------------|---------------------------|
| Film Delivery System: | Powered Chain Pre stretch |
| Standard Pre-Stretch: | 250%-300% |
| TPS Threadless System: | Included |
| Force to Load: | Variable |
| Film Diameter: | Maximum 10.63" |
| Roll Length: | 20" Standard |
| Photo Eye: | Multi Color Film |
| Corner Compensator: | Included |
| Puncture Cut-off: | Included |
| Top Mount E-Stop Plunger: | Included |
| Bottom E-Stop Pressure Plate: | Included |
| Film Carriage Door Latch E-Stop: | Included |

Options

| | |
|-------------------------|-----------------------------------|
| Ramp: | L: 58" x W: 50" x H: 3.5" |
| 30" Carriage: | |
| Extended Wrap Height: | 104", 120" |
| Extended Base: | 160" Wrap Diagonal |
| Integrated Scale: | Digital Readout with printer port |
| Remote Fully Automatic: | Cut, Clamp & Wipe |
| Ring Gear High Profile: | 10,000 lb. Capacity |
| Dual Turn Table: | Umbilical Cable |
| Separated Based: | Umbilical Cable |

Machine Specifications

| | |
|---|-------------------------------------|
| Dimensions: | L: 110.2" W: 70.87" H: 123.49" |
| Weight: | 1650 lbs. |
| Construction: | Reinforced Solid Steel |
| Coating: | Powder Coat |
| Power Supply: | 110 Volt 10 Amp |
| Warranty: | 5 Year Structure - Lifetime Rollers |
| Service: | 24/7 Hotline |
| Support@TransformerPackagingSystems.com | |



Transformer Packaging Systems L.L.C
7259 Rankin Rd Suite 200, Humble, TX 77396



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-FA



INCLUDED FEATURES



PREMIUM TOUCH SCREEN
CONTROLS/DIAGNOSTICS



REMOTE
AUTOMATIC



20" CARRIAGE
POWERED PRE STRETCH



5000 LB CAPACITY



15 RPM



24 HOUR SERVICE
HOTLINE

OPTIONAL FEATURES



PALLET JACK RAMP



SEMI
AUTOMATIC



30" CARRIAGE



120"
WRAP HEIGHT

APPLICATIONS: Wrapping

The Transformer T-FA is the industry leading remote fully automatic turntable wrapper on the market. Featuring the largest turntable diameter and max capacity in it's class, the T-FA is perfectly suited to handle your fast pace environment by providing operators the most efficient wrapping capabilities.

Included Features

- Color touch-screen control panel
- Premium photo eye
- Corner compensation
- No lace powered carriage
- Automatic puncture cut device
- Plug and play connections
- Heavy-duty reinforced steel construction
- Heavy-duty dual chain drive
- Dual-chain carriage
- Forklift portable
- Tower E-Stop
- Carriage door E-Stop
- Carriage safety bottom contact E-Stop
- 5 year warranty



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-FA

SPECIFICATION SHEET

Performance

| | |
|----------------------------|-------------------|
| Maximum Production Speed: | Up to 40 loads/hr |
| Turntable Speed: | 15 RPM |
| Turntable Drive: | 1.06 HP |
| Turntable Slow Start/Stop: | Included |
| Dual Chain Drive: | Included |

Deluxe Controls

| | |
|---------------------------------------|----------|
| Color Touch Screen Control Panel: | Included |
| Digital Diagnostics/Trouble Shooting: | Included |
| 10 Custom Wrap Preset Options: | Included |
| Custom Top/Middle/Bottom Wrap: | Included |
| Manual/Automatic Modes: | Included |
| PLC Output Screen: | Included |
| Parameter Password Lockout: | Included |

Load Handling

| | |
|--|-----------|
| Maximum Wrap Height: | 83" |
| Turn Table Diameter: | 71" |
| Premium Turntable Nylon Cam Followers: | 18 |
| Recommended Max Wrap Diagonal: | 90" |
| Load Weight Capacity: | 5000 lbs. |

Film Carriage


| | |
|----------------------------------|---------------------------|
| Film Delivery System: | Powered Chain Pre stretch |
| Standard Pre-Stretch: | 250%-300% |
| TPS Threadless System: | Included |
| Force to Load: | Variable |
| Film Diameter: | Maximum 10.63" |
| Roll Length: | 20" Standard |
| Photo Eye: | Multi Color Film |
| Corner Compensator: | Included |
| Puncture Cut-off: | Included |
| Top Mount E-Stop Plunger: | Included |
| Bottom E-Stop Pressure Plate: | Included |
| Film Carriage Door Latch E-Stop: | Included |

Options

| | |
|-------------------------|-----------------------------------|
| Ramp: | L: 58" x W: 50" x H: 3.5" |
| 30" Carriage: | |
| Extended Wrap Height: | 104", 120" |
| Extended Base: | 160" Wrap Diagonal |
| Integrated Scale: | Digital Readout with printer port |
| Remote Fully Automatic: | Cut, Clamp & Wipe |
| Ring Gear High Profile: | 10,000 lb. Capacity |
| Dual Turn Table: | Umbilical Cable |
| Separated Based: | Umbilical Cable |

Machine Specifications

| | |
|---|-------------------------------------|
| Dimensions: | L 110.2" x W 70.87" x H 94.49" |
| Weight: | 1740 lbs. |
| Construction: | Reinforced Solid Steel |
| Coating: | Powder Coat |
| Power Supply: | 110 Volt 10 Amp |
| Warranty: | 5 Year Structure - Lifetime Rollers |
| Service: | 24/7 Hotline |
| Support@TransformerPackagingSystems.com | |



Transformer Packaging Systems L.L.C
7259 Rankin Rd Suite 200, Humble, TX 77396



Transformer Packaging Systems

High Profile Stretch Wrapper

Model No: T-SA Behemoth



INCLUDED FEATURES



PREMIUM TOUCH SCREEN
CONTROLS/DIAGNOSTICS



SEMI
AUTOMATIC



20" CARRIAGE
POWERED PRE STRETCH



10000 LB CAPACITY



15 RPM



24 HOUR SERVICE
HOTLINE

OPTIONAL FEATURES



120"
WRAP HEIGHT



30" CARRIAGE

APPLICATIONS: Wrapping

The Transformer T-SA High Profile Behemoth is the industry leading semi automatic turntable wrapper on the market for heavy duty industrial loads. Featuring the largest turntable diameter and max capacity in it's class, the Behemoth is perfectly suited to handle your most demanding wrapping applications.

Included Features

- Color touch-screen control panel
- Premium photo eye
- Corner compensation
- No lace powered carriage
- Automatic puncture cut device
- Plug and play connections
- Heavy-duty reinforced steel construction
- Heavy-duty dual chain drive
- Dual-chain carriage
- Forklift portable
- Tower E-Stop
- Carriage door E-Stop
- Carriage safety bottom contact E-Stop
- 5 year warranty



Transformer Packaging Systems

Low Profile Stretch Wrapper

Model No: T-SA Behemoth

SPECIFICATION SHEET

Performance

| | |
|----------------------------|-------------------|
| Maximum Production Speed: | Up to 40 loads/hr |
| Turntable Speed: | 15 RPM |
| Turntable Drive: | 1.06 HP |
| Turntable Slow Start/Stop: | Included |
| Dual Chain Drive: | Included |

Deluxe Controls

| | |
|---------------------------------------|----------|
| Color Touch Screen Control Panel: | Included |
| Digital Diagnostics/Trouble Shooting: | Included |
| 10 Custom Wrap Preset Options: | Included |
| Custom Top/Middle/Bottom Wrap: | Included |
| Manual/Automatic Modes: | Included |
| PLC Output Screen: | Included |
| Parameter Password Lockout: | Included |

Load Handling

| | |
|----------------------|-----|
| Maximum Wrap Height: | 83" |
| Turn Table Diameter: | 71" |

Precision Ring Gear

| | |
|--------------------------------|------------|
| Recommended Max Wrap Diagonal: | 90" |
| Load Weight Capacity: | 10000 lbs. |

Film Carriage


| | |
|----------------------------------|---------------------------|
| Film Delivery System: | Powered Chain Pre stretch |
| Standard Pre-Stretch: | 150%-200% |
| TPS Threadless System: | Included |
| Force to Load: | Variable |
| Film Diameter: | Maximum 10.63" |
| Roll Length: | 20" Standard |
| Photo Eye: | Multi Color Film |
| Corner Compensator: | Included |
| Puncture Cut-off: | Included |
| Top Mount E-Stop Plunger: | Included |
| Bottom E-Stop Pressure Plate: | Included |
| Film Carriage Door Latch E-Stop: | Included |

Options

| | |
|-------------------------|-----------------------------------|
| 30" Carriage: | |
| Extended Wrap Height: | 104", 120" |
| Extended Base: | 160" Wrap Diagonal |
| Integrated Scale: | Digital Readout with printer port |
| Remote Fully Automatic: | Cut, Clamp & Wipe |
| Ring Gear High Profile: | 10,000 lb. Capacity |
| Dual Turn Table: | Umbilical Cable |
| Separated Based: | Umbilical Cable |

Machine Specifications

| | |
|---|-------------------------------------|
| Dimensions: | L 110.2" x W 70.87" x H 94.49" |
| Weight: | 2557 lbs. |
| Construction: | Reinforced Solid Steel |
| Coating: | Powder Coat |
| Power Supply: | 110 Volt 10 Amp |
| Warranty: | 5 Year Structure - Lifetime Rollers |
| Service: | 24/7 Hotline |
| Support@TransformerPackagingSystems.com | |



Transformer Packaging Systems L.L.C
7259 Rankin Rd Suite 200, Humble, TX 77396



Transformer Packaging Systems

Elevating Service and Support with Our Premium Distributor Network

At Transformer Packaging Systems, our commitment to excellence doesn't end with manufacturing top-tier packaging machinery. We believe that providing exceptional service and support is equally vital. That's why we've forged an unbreakable partnership with the highest quality distributor network in the industry.

Trained Technicians are the Backbone of Excellence

Our distributor network comprises trained technicians who are not just experts in our machinery, but also dedicated professionals who understand your business needs. These technicians undergo rigorous training to ensure they possess the expertise needed to handle any situation. When you work with us, you're not just getting machinery; you're gaining access to a network of skilled problem solvers.

Advantages of Just-in-Time (JIT) Service

We understand that downtime is not an option. Our JIT service ensures that your operations remain seamless. Whether it's routine maintenance or an unexpected issue, our technicians are ready to provide swift, effective solutions, minimizing disruptions to your productivity.

Genuine Parts, Guaranteed Performance


Our commitment to quality extends to our replacement parts program. With our equipment, rest assured that you're receiving the highest quality non proprietary components and parts in the industry for peak performance and accessibility. Your operation deserves nothing less, and we're here to keep you running.

Your Success, Our Priority

When you choose Transformer Packaging Systems, you're not just investing in machinery; you're investing in a seamless partnership that prioritizes your success. Our distributor and service network isn't just a support system; it's an extension of our commitment to your business's prosperity.

Ready to experience unparalleled service and support? Connect with us today to learn more about how our premium distributor network, trained technicians, and JIT service can elevate your packaging operations to new heights.

www.TransformerPackagingSystems.com
Support@TransformerPackagingSystems.com



Transformer Packaging Systems L.L.C
7259 Rankin Rd Suite 200, Humble, TX 77396



Transformer Packaging Systems

Dear Valued Customer

Unlike our competitors, we don't believe in making quality an added expense. We've made it our mission to set a new precedent by ensuring that the highest quality options are included as standard features in all our machinery. When you choose Transformer Packaging Systems, you're choosing uncompromising excellence from the start.

Our commitment to innovation drives us to continuously push boundaries. Our machinery isn't just reliable; it's cutting-edge. Each system is meticulously designed, engineered, and tested to not only meet industry requirements but to exceed them. We innovate so that your packaging process evolves with the times.

Your success is our success. We understand that every business has unique needs. That's why we offer customizable solutions that align perfectly with your requirements. Our dedicated team works closely with you to understand your challenges and goals, ensuring that the machinery we provide is tailor-made to elevate your operations.

While other manufacturers might nickel and dime you for added features, we believe that value should always be a given. By including premium features as standard, we aim to provide you with a comprehensive package that maximizes your investment. Your satisfaction is our priority, and we're here to deliver value that lasts.

Beyond quality and innovation, we're also committed to sustainability. Our machinery is designed to optimize resource efficiency, minimize waste, and reduce your environmental footprint. With Transformer Packaging Systems, you're not just investing in your business – you're investing in a greener future.

President

